Floor Plan


Type (1)a1

463sf

Unit: #01-11

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC

RC - REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

- RAILING (NON STRATA AREA) RL


- PRIVATE ENCLOSED SPACE PES

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (1)b

Unit: #02-06 to #13-06 #15-06 to #28-06 463sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC


- RAILING (NON STRATA AREA) RL

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (1)b1

Unit: #01-06

463sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

W/D - WASHER CUM DRYER

AC - AIRCON LEDGE (NON-STRATA AREA)

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA) RC

- RAILING (NON STRATA AREA) RL


- PRIVATE ENCLOSED SPACE PES

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (1)c1

Unit: #01-05

581sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC

RC - REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

RL - RAILING (NON STRATA AREA)


- PRIVATE ENCLOSED SPACE PES

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (1)c1

Unit: #01-14

581sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC

RC - REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

RL - RAILING (NON STRATA AREA)


- PRIVATE ENCLOSED SPACE PES

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (2)a


Unit: #02-10 to #13-10

#15-10 to #27-10

678sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE

- DISTRIBUTION BOARD DB W/D - WASHER CUM DRYER

AC - AIRCON LEDGE (NON-STRATA AREA)

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


- RAILING (NON STRATA AREA)

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)a1

Unit: #01-10

678sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA) RC

RL - RAILING (NON STRATA AREA)


PES - PRIVATE ENCLOSED SPACE

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (2)b

Unit: #02-18 to #13-18 #15-18 to #27-18 689sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

DB - DISTRIBUTION BOARD W/D - WASHER CUM DRYER

- AIRCON LEDGE (NON-STRATA AREA) AC


- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)b1

Unit: #01-18

689sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

W/D - WASHER CUM DRYER

- AIRCON LEDGE (NON-STRATA AREA)

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


- PRIVATE ENCLOSED SPACE



SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (2)c

Unit: #02-01 to #13-01 #15-01 to #28-01 678sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE

- DISTRIBUTION BOARD DB W/D

- WASHER CUM DRYER AC - AIRCON LEDGE (NON-STRATA AREA)

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


- RAILING (NON STRATA AREA)

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)c1

Unit: #01-01

678sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA) RC

RL - RAILING (NON STRATA AREA)


- PRIVATE ENCLOSED SPACE PES

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)d

Unit: #02-14

786sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

F - FRIDGE

DB - DISTRIBUTION BOARD

W/D - WASHER CUM DRYER

AC - AIRCON LEDGE (NON-STRATA AREA)

RC - REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


RL - RAILING (NON STRATA AREA)

[___] AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (2)d

Unit: #03-14 to #13-14 #15-14 to #27-14 786sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

F - FRIDGE

DB - DISTRIBUTION BOARD

W/D - WASHER CUM DRYER

AC - AIRCON LEDGE (NON-STRATA AREA)

RC - REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

RL - RAILING (NON STRATA AREA)


[___] AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)

WALL THICKNESS IS 100MM-200MM (EX-NON - STRUCTURAL WALL



Floor Plan

Type (2)e


Unit: #02-04 to #13-04

#15-04 to #28-04

786sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA) RC


- RAILING (NON STRATA AREA) RI

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (2)e

Unit: #02-15 to #13-15 #15-15 to #27-15 786sf

BP No.:


A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- F FRIDGE
- DB DISTRIBUTION BOARD
- W/D WASHER CUM DRYER
- AC AIRCON LEDGE (NON-STRATA AREA)
- RC REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- RL RAILING (NON STRATA AREA)
- [___] AIRCON CONDENSER
 - SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
- WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)
 WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)
- NON STRUCTURAL WALL



Floor Plan


Type (2)e1

Unit: #01-04

786sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

W/D - WASHER CUM DRYER

AC - AIRCON LEDGE (NON-STRATA AREA)

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

- RAILING (NON STRATA AREA)


- PRIVATE ENCLOSED SPACE

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)e1

Unit: #01-15

786sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

W/D - WASHER CUM DRYER

AC - AIRCON LEDGE (NON-STRATA AREA)

- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

- RAILING (NON STRATA AREA)


- PRIVATE ENCLOSED SPACE

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (2)f

Unit: #02-09 to #13-09 #15-09 to #28-09 797sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

DB - DISTRIBUTION BOARD W/D - WASHER CUM DRYER

- AIRCON LEDGE (NON-STRATA AREA)


- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)f1

797sf

Unit: #01-09

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB W/D - WASHER CUM DRYER

- AIRCON LEDGE (NON-STRATA AREA) AC


PES - PRIVATE ENCLOSED SPACE

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (2)g

Unit: #02-05 786sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA) AC


- RAILING (NON STRATA AREA)

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (2)g

786sf

#03-05 to #13-05 Unit: #15-05 to #28-05

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD DB

- WASHER CUM DRYER W/D

- AIRCON LEDGE (NON-STRATA AREA)

RC- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


- RAILING (NON STRATA AREA)

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (3)a


Unit: #02-07 to #13-07 #15-07 to #28-07 #02-12 to #13-12

#15-12 to #27-12

915sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE DB W/D

- DISTRIBUTION BOARD - WASHER CUM DRYER

AC RC

- AIRCON LEDGE (NON-STRATA AREA)
- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


ST - STORAGE

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (3)a1

Unit: #01-07

#01-12

915sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE

DB W/D - DISTRIBUTION BOARD - WASHER CUM DRYER

- AIRCON LEDGE (NON-STRATA AREA)


- PRIVATE ENCLOSED SPACE - STORAGE

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)




Floor Plan

Type (3)b

Unit: #02-17 to #13-17 #15-17 to #27-17 1076sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE - DISTRIBUTION BOARD - WASHER

DB W D HS - DRYER - HOUSEHOLD SHELTER

- AIRCON LEDGE (NON-STRATA AREA)
- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

ST WC

- STORAGE - WATER CLOSET


AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)

WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (3)b1

Unit: #01-17

1076sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

F DB W D AC

- HOUSEHOLD SHELTER
- PRIVATE ENCLOSED SPACE
- STORAGE
- WATER CLOSET


HS PES ST WC

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (3)c

1076sf

Unit: #02-02 to #13-02 #15-02 to #28-02

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



F DB

- WASHER

LEGEND:

- DRYER

W D HS AC RC ST WC

- DRYPER
- HOUSEHOLD SHELTER
- AIRCON LEDGE (NON-STRATA AREA)
- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- STORAGE
- WATER CLOSET


AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)

WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (3)c1

Unit: #01-02

1076sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024




- HOUSEHOLD SHELTER - PRIVATE ENCLOSED SPACE - STORAGE - WATER CLOSET

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (4)a

Unit: #02-13 to #13-13 #15-13 to #27-13

1184sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

 \sim

- FRIDGE

- DISTRIBUTION BOARD

- WASHER

DB W D HS AC RC ST WC - HOUSEHOLD SHELTER

- AIRCON LEDGE (NON-STRATA AREA)
- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)

- STORAGE - WATER CLOSET


AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)

WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan


Type (4)a1

Unit: #01-13

1184sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



F DB W D AC

- FRIDGE
- DISTRIBUTION BOARD
- WASHER
- DRYER
- AIRCON LEDGE (NON-STRATA AREA)

- HOUSEHOLD SHELTER
- PRIVATE ENCLOSED SPACE
- STORAGE
- WATER CLOSET


HS PES

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA)

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (4)b

Unit: #02-08 to #13-08 #15-08 to #28-08 1184sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE

- DISTRIBUTION BOARD

- WASHER

DB W D HS AC RC ST WC - HOUSEHOLD SHELTER

- AIRCON LEDGE (NON-STRATA AREA)
- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


- STORAGE - WATER CLOSET

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (4)b1

1184sf

Unit: #01-08

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE - DISTRIBUTION BOARD - WASHER - DRYER F DB W D AC

- AIRCON LEDGE (NON-STRATA AREA)

- HOUSEHOLD SHELTER - PRIVATE ENCLOSED SPACE - STORAGE - WATER CLOSET


SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)

NON - STRUCTURAL WALL

AIRCON CONDENSER



Floor Plan

Type (4)c


Unit: #02-03 to #13-03

#15-03 to #28-03

1399sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE

- DISTRIBUTION BOARD - WASHER

D HS - HOUSEHOLD SHELTER

- AIRCON LEDGE (NON-STRATA AREA)
- REINFORCED CONCRETE LEDGE (NON-STRATA AREA)


- STORAGE - WATER CLOSET

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (4)c

#02-16 to #13-16 #15-16 to #27-16 1399sf


BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE
- DISTRIBUTION BOARD
- WASHER
- DB W D HS AC RC - HOUSEHOLD SHELTER
- AIRCON LEDGE (NON-STRATA AREA)
 REINFORCED CONCRETE LEDGE (NON-STRATA AREA)
- STORAGE WATER CLOSET
- AIRCON CONDENSER \sim
 - SERVICES VOID SPACE (NON-STRATA AREA)
- RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)
 - WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)
- NON STRUCTURAL WALL



Floor Plan

Type (4)c1

1399sf

Unit: #01-03

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE - DISTRIBUTION BOARD - WASHER

DB W D AC

- DRYER - AIRCON LEDGE (NON-STRATA AREA)

- HOUSEHOLD SHELTER - PRIVATE ENCLOSED SPACE - STORAGE - WATER CLOSET HS PES ST WC


AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING)

WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)



Floor Plan

Type (4)c1

Unit: #01-16 1399sf

BP No.:

A1716-00022-2023-BP01 approved on 13 OCT 2024



LEGEND:

- FRIDGE - DISTRIBUTION BOARD - WASHER - DRYER F DB W D AC HS PES

- AIRCON LEDGE (NON-STRATA AREA)

- HOUSEHOLD SHELTER - PRIVATE ENCLOSED SPACE

- STORAGE - WATER CLOSET

AIRCON CONDENSER

SERVICES VOID SPACE (NON-STRATA AREA) \sim

RAINWATER DOWNPIPE SHAFT SPACE (NON-STRATA AREA)

WALL NOT ALLOWED TO BE HACKED OR ALTERED (INCLUDING BY WAY OF DRILLING) WALL THICKNESS IS 100MM-200MM (EXCLUDED FINISHES)

